



**CORRIGENDUM-1 Dated 17.12.2011
To
TENDER No.
JPOCL/FORKLIFT/2011/0013 Dated 08.12.2011
FOR
SUPPLY OF FORKLIFT IN GEORGIA**



"JINDAL PETROLEUM OPERATING COMPANY" LLC

Dear Sir,

SUBJECT: CORRIGENDUM No. 1 FOR TENDER No. JPOCL/FORKLIFT/2011/0013 Dated 08.12.2011 FOR SUPPLY OF FORKLIFT IN GEORGIA

The following amendments are made to the Tender # JPOCL/FORKLIFT/2011/0013 for supply of Forklift in Georgia:

S. No.	Reference	Original Clause/ Article	Modified As
1	Wherever specified in the tender, Tender No.	JPOCL/FORKLIFT/2011/0013	JPOCL/FORKLIFT AND TELEHANDLER/2011/0013
2	Wherever specified in the tender, Subject of Tender	FOR SUPPLY OF FORKLIFT IN GEORGIA	FOR SUPPLY OF FORKLIFT AND TELEHANDLER IN GEORGIA
3	Page 4, Annexures	Annexure-1: Technical Specifications of Forklift 1 Annexure-2: Technical Specifications of Forklift 2	Annexure-1: Technical Specifications of Forklift Annexure-2: Technical Specifications of Telehandler
4	Page 5, clause 1.7 ii. of Section-I	The bidder must have 5 (five) years experience of supplying Forklifts till the Bid Closing Date	The bidder must have 5 (five) years experience of supplying Forklifts and Telehandlers till the Bid Closing Date
5	Page 7, clause 5.0 A	Declaration of Cycle Time: The time frame for delivery of the Forklift:	Declaration of Cycle Time: The time frame for delivery of the Forklift and Telehandler:

	vi) of Section-I	30 days from the date of LOI/ FOI or Purchase Order whichever will be earlier.	30 days from the date of LOI/ FOI or Purchase Order whichever will be earlier.
6	Page 9, clause 14.3 of Section-I	<p>Comparison of Bids: JPOCL will evaluate and compare the bids as per prices quoted in the Price Bid in the PROFORMA-A.</p> <p>Company reserves the right to award separate orders/ contracts for different forklift on different bidders/ contractors.</p>	<p>Comparison of Bids: JPOCL will evaluate and compare the bids as per prices quoted in the Price Bid in the PROFORMA-A.</p> <p>Company reserves the right to award separate orders/ contracts for forklift and telehandler on different bidders/ contractors.</p>
7	Page 12, subject of Section-II	Purchase Order for supply of Forklift.	Purchase Order for supply of Forklift and Telehandler.
8	Page 14, clause 1.0 d) of Annexure-I of Section-II	"Goods" shall mean new & unused Forklift as per the details mentioned above in the Table 1;	"Goods" shall mean new & unused Forklift and Telehandler as per the details mentioned above in the Table 1;
9	Page 20, Annexure-1	Technical Specification of Forklift 1	<p style="text-align: center;">Technical Specification of Forklift</p> <p>Lifting capacity=3 tons Terrain: Rough/ semi-industrial Terrain Lifting height: 5.5</p>

		<p>Cab</p> <ul style="list-style-type: none"> Complies with ISO 3449 (FOPS) and ISO 3471 (ROPS) standards. 4 x 1" electro-proportional joystick. <p>Boom</p> <ul style="list-style-type: none"> Telescopic, with sections sliding on adjustable low-friction pads. Hydraulic extension mechanism, hydraulic pipes and electric are totally enclosed within the boom assembly to ensure maximum protection and reliability. Integral boom side-shift mechanism. <p>Quick-attach carriage</p> <ul style="list-style-type: none"> The Tac-Lock quick attachment fitting system is hydraulically controlled from the cab. Standard double-acting hydraulic service, with quick couplings, for the operation of hydraulically powered attachments. <p>Frame levelling</p> <ul style="list-style-type: none"> Hydraulically operated from the cab. Frame levelling $\pm 10\%$. <p>Forks</p> <ul style="list-style-type: none"> Floating type. Length 1200mm. Section 150 x 60mm. Fork spacing is manually adjustable between 450 and 1010mm. <p>Steering</p> <ul style="list-style-type: none"> Four drive/steer wheels, with automatic wheel synchronisation in the event of any misalignment and selection of three steering modes from the cab. <p>Engine</p> <ul style="list-style-type: none"> Direct injection, water cooled, 4 cylinder Perkins Euro 2 turbo diesel engine producing 74.5kW+101HP at 2400rpm (97/68/CE). <p>Transmission</p> <ul style="list-style-type: none"> Hydrostatic with electronically controlled variable displacement pump. Continuous and automatic speed variation, from zero to maximum speed, solely with the accelerator pedal. Two-speed mechanical range gearbox. Inching-Control pedal to proportionately reduce travel speed whilst maintaining high engine speed for hydraulic operation e.g. during loading operations. Finer-Touch system makes it possible to change between forward and reverse <p>direction with the driver keeping both hands firmly on the steering wheel.</p> <ul style="list-style-type: none"> Permanent four-wheel drive. Portal axles ensuring excellent ground clearance. <p>Braking system</p> <ul style="list-style-type: none"> Disc service brakes on all 4 wheels, hydraulically operated and acting on differential output shafts. Disc parking brake with automatic locking feature and hydraulic release acting on the main transmission shaft. <p>Hydraulic system</p> <ul style="list-style-type: none"> Variable delivery Load-Sensing pump. Maximum operating capacity: 108lpm. Working pressure: 210bar. <p>Electrics</p> <ul style="list-style-type: none"> 12V system with 100Ah battery and 90A alternator. Full road lighting and rotating beacon. Manual battery isolator switch (optional automatic switch). <p>Service capacities</p> <ul style="list-style-type: none"> Hydraulic oil: 95 litres Diesel fuel: 155 litres Hydrostatic oil: 12 litres Engine oil: 8.5 litres Coolant: 12 litres <p>Tyres</p> <ul style="list-style-type: none"> 400/70-20 (P 60.10) and 18-19.5 (P 72.10). <p>Available options</p> <ul style="list-style-type: none"> Rear axle differential lock. Automatic battery isolator. Manual control air conditioning. Windscreen wiper on the roof window. Four working lights on the cab (two front lights and two rear). Pneumatic seat. BSS boom suspension system. Roof and front window mounted sun blinds. 	
10	Page 21, Annexure-2	<p style="text-align: center;">Technical Specification of Forklift 2</p> <p>1. Engine</p> <ul style="list-style-type: none"> Make - Diesel Engine Firing Order - 1-3-4-2 Bore and Stroke - 3.812 in x 4.125 in (96.8 x 104.8 mm) 	<p style="text-align: center;">Technical Specification of Telehandler</p> <p>Lifting capacity =6 tons Terrain: Rough Terrain Lifting height=9.55 m Maximum forward reach=5.5 mm</p>

		<ul style="list-style-type: none"> • Displacement - 188 cu in (3081 cm) • Compression Ration - 17.5 to 1 • Horsepower <ul style="list-style-type: none"> SAE Gross - 52 HP at 2100 rpm (39 kW at 2100 rpm) SAE Net - 47 HP at 2100 rpm (35 kW at 2100 rpm) • Engine Speeds (RPM) (r/min) <ul style="list-style-type: none"> Full Throttle, no cold- 2230 to 2270 rpm Idle speed - 700 to 750 rpm <p>2. Cooling System</p> <ul style="list-style-type: none"> • Radiator cap - 7 psi (48 kPa) • Thermostat - 180°F (82°C) <ul style="list-style-type: none"> Opening Range - 175° to 182°F (80° to 85°C) Fully open - 202°F (94°C) <p>3. Electric System</p> <ul style="list-style-type: none"> • Type of System - 12 v, negative grounds • Battery - (1) 12 volt • Alternator - 12 volt, 42 amperes <p>4. Hydraulics System</p> <ul style="list-style-type: none"> • Relief valve setting - 2000+/-50 psi (13 790 – 345 kPa) 	
--	--	--	--

		<p>5. Capacities</p> <ul style="list-style-type: none"> • Cooling system - 14 quarts (13.2 litres) • Fuel tank - 22 gallons (83 litres) • Four speed transaxle - 20 quarts (19 litres) <p>Note: All Specifications are stated in accordance with ICED definitions of SAE standards or recommended Practices where applicable</p>																									
11	Page 22, PROFORM A-A	<p style="text-align: center;"><u>PRICE BID FORMAT</u></p> <table border="1" data-bbox="380 813 1392 1092"> <thead> <tr> <th>S. No.</th> <th>Items</th> <th>UNIT</th> <th>UNIT PRICE (in US\$)</th> </tr> </thead> <tbody> <tr> <td>1.</td> <td>Forklift (specifications as per Annexure-1)</td> <td>Each</td> <td></td> </tr> <tr> <td>2.</td> <td>Forklift (specifications as per Annexure-2)</td> <td>Each</td> <td></td> </tr> </tbody> </table>	S. No.	Items	UNIT	UNIT PRICE (in US\$)	1.	Forklift (specifications as per Annexure-1)	Each		2.	Forklift (specifications as per Annexure-2)	Each		<p style="text-align: center;"><u>PRICE BID FORMAT</u></p> <table border="1" data-bbox="1438 813 1990 1265"> <thead> <tr> <th>S. No.</th> <th>Items</th> <th>UNIT</th> <th>UNIT PRICE (in US\$)</th> </tr> </thead> <tbody> <tr> <td>1.</td> <td>Forklift (specifications as per Annexure-1)</td> <td>Each</td> <td></td> </tr> <tr> <td>2.</td> <td>Telehandler (specifications as per Annexure-2)</td> <td>Each</td> <td></td> </tr> </tbody> </table>	S. No.	Items	UNIT	UNIT PRICE (in US\$)	1.	Forklift (specifications as per Annexure-1)	Each		2.	Telehandler (specifications as per Annexure-2)	Each	
S. No.	Items	UNIT	UNIT PRICE (in US\$)																								
1.	Forklift (specifications as per Annexure-1)	Each																									
2.	Forklift (specifications as per Annexure-2)	Each																									
S. No.	Items	UNIT	UNIT PRICE (in US\$)																								
1.	Forklift (specifications as per Annexure-1)	Each																									
2.	Telehandler (specifications as per Annexure-2)	Each																									

All other terms & conditions of the Tender remain unaltered.



For any details please contact Mr. Vipul Singh Rawat at Tel: +91-124-6689258, +91-9654956915; **Fax:** +91-124-6689176 & E-mail: vipul.rawat@jindalpetroleum.com.